

---

**RAM** Fee History  
Query  
Revenue Accounting and Management

---

Name/Number: 09991485

Total Records Found: 6

Start Date: Any Date

End Date: Any Date

Accounting Date	Sequence Num.	Tran Type	Fee Code	Fee Amount	Mailroom Date	Payment Method
03/14/2002	00000027	<u>1</u>	<u>201</u>	\$370.00	03/11/2002	OP
03/14/2002	00000028	<u>1</u>	<u>205</u>	\$65.00	03/11/2002	OP
03/14/2002	00000029	<u>1</u>	<u>203</u>	\$90.00	03/11/2002	OP
03/14/2002	00000030	<u>1</u>	<u>202</u>	\$42.00	03/11/2002	OP
03/14/2002	00000031	<u>1</u>	<u>215</u>	\$55.00	03/11/2002	OP
03/14/2002	00000032	<u>1</u>	<u>581</u>	\$40.00	03/11/2002	OP

9/991,485

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

file vs table

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 2,200,000 for **file vs table**. (0.32 seconds)Genealogy Software Review

Family Tree Maker v6.0 **vs.** Personal Ancestral **File** v5.1. As of February, 2002 Family Tree Maker's most recent version is v9. Genealogy software review FTM **vs.** ...  
[www.dimmicks.com/soft\\_review.htm](http://www.dimmicks.com/soft_review.htm) - 17k - [Cached](#) - [Similar pages](#)

CSS Layouts **Vs.** Table Layouts - Alternate Browsers and ...

CSS Layouts **Vs.** ... Strangely enough, a **table** layout can even look broken on Netscape 6.x due to the DOCTYPE declaration at the beginning of the source **file**. ...  
[www.mardiros.net/css-layout.html](http://www.mardiros.net/css-layout.html) - 15k - [Cached](#) - [Similar pages](#)

carto:net - Comparing .SWF (ShockWave Flash) and .SVG (Scalable ...

Comparing .SWF (ShockWave Flash) and .SVG (Scalable Vector Graphics) **file** format specifications. About this document. We are currently ...  
[www.carto.net/papers/svg/comparison\\_flash\\_svg/](http://www.carto.net/papers/svg/comparison_flash_svg/) - 42k - Jul 17, 2004 - [Cached](#) - [Similar pages](#)

Tables **Vs.** Files

Tables **vs.** files. A Database ... for printouts. For most conceptualizing, it is OK to think of a **table** as a **file**. When is a **table** a **file**? A single ...  
[courses.mbl.edu/Medical\\_Informatics/2002/Remsen/Databases/dbms.html](http://courses.mbl.edu/Medical_Informatics/2002/Remsen/Databases/dbms.html) - 5k - [Cached](#) - [Similar pages](#)

Tables **Vs.** Files

Tables **vs.** files. ... For most conceptualizing, it is OK to think of a **table** as a **file**.  
 Next: Flat **File** Limitations Previous: Tables, When is a **table** a **file**? ...  
[courses.mbl.edu/Medical\\_Informatics/2003/remsen/Databases/dbms.html](http://courses.mbl.edu/Medical_Informatics/2003/remsen/Databases/dbms.html) - 5k - [Cached](#) - [Similar pages](#)

Digital cameras **vs.** film, part 1

... In Digital cameras **vs.** ... (It's always better to edit in 48 bits, but it's OK to store the **file** in 24 bits once editing is ... The **table** below is not comprehensive. ...  
[www.normankoren.com/Tutorials/MTF7.html](http://www.normankoren.com/Tutorials/MTF7.html) - 75k - [Cached](#) - [Similar pages](#)

.net - .web builder - CSS: **Table vs** CSS layouts

... CSS: **Table vs** CSS layouts This month, Sean Conran discusses the ... a CSS-only technique and a HTML **table** method ... so be sure to check out the complete tutorial **file**. ...  
[www.netmag.co.uk/tutorials/default.asp?pagetypeid=2&articleid=30458&subsectionid=499&subsubse...](http://www.netmag.co.uk/tutorials/default.asp?pagetypeid=2&articleid=30458&subsectionid=499&subsubse...) - 49k - [Cached](#) - [Similar pages](#)

CSS **vs** Old School Pages: **File** Sizes and Download Times


... CSS **vs** Old School Pages: **File** Sizes and Download Times The great debate ... I'd rather deal with the one CSS **file** then have to ... Single cell **table** with font tag 862k. ...  
[www.webmasterworld.com/forum83/2093-4-10.htm](http://www.webmasterworld.com/forum83/2093-4-10.htm) - [Similar pages](#)

Management of Bronchiolitis in Infants and Children (**File** ...

... RSVIG IV **vs.** ... Monoclonal Antibody for Prophylaxis of RSV Bronchiolitis Evidence **Table** 15. ... **File** Inventory, Evidence Report/Technology Assessment Number 69. ...  
[www.ahrq.gov/clinic/brnconiv.htm](http://www.ahrq.gov/clinic/brnconiv.htm) - 12k - [Cached](#) - [Similar pages](#)

<div> **vs.** <**table**> - SitePoint Forums

... div> **vs. <table>**, Post #1. ... The main difference is in the document's structure, as **TABLE** was never meant to be used as a layout device. ... info = **file**("aboutitems.txt ...  
www.sitepoint.com/forums/ showthread.php?goto=lastpost&t=56281 - 101k - [Cached](#) - [Similar pages](#)



Result Page:    **1**   2   3   4   5   6   7   8   9   10    **Next**

file vs table Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

	Hits	Search Text	DBs
1	6468	synchroniz\$4 and ((replica\$5 or duplica\$5 or cop\$5) with (database\$1 or storage\$1 or repositor\$3))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	5281	12 and (@ad < "20011113")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	2720	13 and (change\$1 or modification\$1 or update\$1) and remot\$4	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	11937	((707/200-204) or (707/100-104.1) or (707/1-10)).CCLS.	USPAT
5	424	14 and 15	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	57	17 and (synchroniz\$4 with (manager\$1 or controller\$1 or monitor\$4))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	49	(("5999947") or ("6292830") or ("5978813") or ("5805824") or ("6122630") or ("5913213") or ("5995980") or ("5796999") or ("4881166") or ("6163855") or ("5870765") or ("5870759") or ("5884325") or ("5926816") or ("6078952") or ("6367077") or ("5649195") or ("6397125") or ("5933837") or ("5765172") or ("5212789") or ("5757669") or ("5937343") or ("5995981") or ("6182117") or ("5873096") or ("6189011") or ("6216135") or ("6216135") or ("6178425") or ("5924094") or ("6335937") or ("6338092") or ("6446092") or ("4853843") or ("6421688") or ("5758083") or ("5781910") or ("5627961") or ("5737738") or ("6343299") or ("6505200") or ("6311186") or ("5737601") or ("5806075") or ("6247017") or ("6202085") or ("5966711") or ("5684984") or ("6012059")) .PN.	USPAT

	Hits	Search Text	DBs
1	1784 6	((707/1-10) or (707/100-104.1) or (707/200-204) or (709/200-202) or (709/204-205) or (709/213) or (709/223-224) or (709/238) or (714/1-2) or (714/15) or (714/100)).CCLS.	USPAT
2	241	11 and (replica\$5 with database\$1) and synchroniz\$4 and (@ad < "20011113")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	188	12 and remote	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	140	13 and interface\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	32	15 and ((track\$4 or monitor\$4 or manag\$4) with chang\$4 with database\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	1	("5933837").PN.	USPAT
7	1	("5806075").PN.	USPAT

	Hits	Search Text	DBs
1	2066	((local or client\$5) with (replic\$4 or "replicated database")) and (@ad < "20011113")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	0	156 and (determin\$4 same ("more than one" or "greater than one" or "at least two") same (change\$1 or updat\$4 or modif\$6))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	1	156 and (determin\$4 and ("more than one" or "greater than one" or "at least two") same (change\$1 or updat\$4 or modif\$6))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	6468	synchroniz\$4 and ((replica\$5 or duplica\$5 or cop\$5) with (database\$1 or storage\$1 or repositor\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	5281	(synchroniz\$4 and ((replica\$5 or duplica\$5 or cop\$5) with (database\$1 or storage\$1 or repositor\$3))) and (@ad < "20011113")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	2720	((synchroniz\$4 and ((replica\$5 or duplica\$5 or cop\$5) with (database\$1 or storage\$1 or repositor\$3))) and (@ad < "20011113")) and (change\$1 or modification\$1 or update\$1) and remot\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	11937	((707/200-204) or (707/100-104.1) or (707/1-10)).CCLS.	USPAT
5	424	((synchroniz\$4 and ((replica\$5 or duplica\$5 or cop\$5) with (database\$1 or storage\$1 or repositor\$3))) and (@ad < "20011113")) and (change\$1 or modification\$1 or update\$1) and remot\$4) and (((707/200-204) or (707/100-104.1) or (707/1-10)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	57	(((((synchroniz\$4 and ((replica\$5 or duplica\$5 or cop\$5) with (database\$1 or storage\$1 or repositor\$3))) and (@ad < "20011113")) and (change\$1 or modification\$1 or update\$1) and remot\$4) and (((707/200-204) or (707/100-104.1) or (707/1-10)).CCLS.)) and (synchroniz\$4 with (manager\$1 or controller\$1 or monitor\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
7	49	(("5999947") or ("6292830") or ("5978813") or ("5805824") or ("6122630") or ("5913213") or ("5995980") or ("5796999") or ("4881166") or ("6163855") or ("5870765") or ("5870759") or ("5884325") or ("5926816") or ("6078952") or ("6367077") or ("5649195") or ("6397125") or ("5933837") or ("5765172") or ("5212789") or ("5757669") or ("5937343") or ("5995981") or ("6182117") or ("5873096") or ("6189011") or ("6216135") or ("6216135") or ("6178425") or ("5924094") or ("6335937") or ("6338092") or ("6446092") or ("4853843") or ("6421688") or ("5758083") or ("5781910") or ("5627961") or ("5737738") or ("6343299") or ("6505200") or ("6311186") or ("5737601") or ("5806075") or ("6247017") or ("6202085") or ("5966711") or ("5684984") or ("6012059")) .PN	USPAT
8	17846	((707/1-10) or (707/100-104.1) or (707/200-204) or (709/200-202) or (709/204-205) or (709/213) or (709/223-224) or (709/238) or (714/1-2) or (714/15) or (714/100)).CCLS.	USPAT
9	209	(reconstruct\$4 or rebuild\$4 or rearrang\$4 or recreat\$4) and (replica\$4 with database\$1) and (network\$4 or (communication with link\$4)) and synchroniz\$4 and manag\$4 and local and (@ad < "00011112")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	209	(reconstruct\$4 or rebuild\$4 or rearrang\$4 or recreat\$4) and (replica\$4 with database\$1) and (network\$4 or (communication with link\$4)) and synchroniz\$4 and manag\$4 and local and (@ad < "00011112")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	55968	sequen\$4 with table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	17	((reconstruct\$4 or rebuild\$4 or rearrang\$4 or recreat\$\$) and (replica\$4 with database\$1) and (network\$4 or (communication with link\$4)) and synchroniz\$4 and manag\$4 and local and (@ad < "20011113")) and (sequen\$4 wit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	1	("5806075").PN.	USPAT
14	3751	sequence adj table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	0	((reconstruct\$4 or rebuild\$4 or rearrang\$4 or recreat\$\$) and (replica\$4 with database\$1) and (network\$4 or (communication with link\$4)) and synchroniz\$4 and manag\$4 and local and (@ad < "20011113")) and (sequence adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	0	(sequence adj table\$1) and (replica\$4 with database\$1) and (network\$4 or (communication with link\$4)) and synchroniz\$4 and manag\$4 and local and (@ad < "20011113"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	5	(sequence adj table\$1) and replica\$4 and database\$1 and (network\$4 or (communication with link\$4)) and synchroniz\$4 and manag\$4 and local and (@ad < "20011113")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	2786	((local or client\$5) with (replic\$4 or "replicated database"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	2066	((local or client\$5) with (replic\$4 or "replicated database")) and (@ad < "20011113")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	1048	((local or client\$5) with (replic\$4 or "replicated database")) and (@ad < "20011113")) and synchroniz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	180	((local or client\$5) with (replic\$4 or "replicated database")) and (@ad < "20011113")) and synchroniz\$5) and (reconstruct\$4 or reorganiz\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	161	((local or client\$5) with (replic\$4 or "replicated database")) and (@ad < "20011113")) and synchroniz\$5) and (reconstruct\$4 or reorganiz\$4)) and sequence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	171	((local or client\$5) with (replic\$4 or "replicated database")) and (@ad < "20011113")) and synchroniz\$5.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	18	((local or client\$5) with (replic\$4 or "replicated database")) and (@ad < "20011113")) and synchroniz\$5) and (reconstruct\$4 or reorganiz\$4)) and synchroniz\$5.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB